






パネル加工推奨寸法図
(適用パネル厚 : 0.8, 1.0, 1.6, 2.0)


1. 材料：ガラス入り熱可塑性ポリエステル樹脂（94V-0），色：黒
2. 文字の形状、大きさ、および位置については、大略を示すものであり、詳細を示すものではありません。

AS SHOWN 40POS : 1-1903128-0


40	X	19	38.0	41.0	42.6	41.2	21.3	48.78	48.9	42.9	39.3	1-1903128-0
34	X	16	32.0	35.0	36.6	35.2	18.3	42.78	42.9	36.9	33.3	1-1903128-7
32	X	15	30.0	33.0	34.6	33.2	17.3	40.78	40.9	34.9	31.3	1-1903128-6
28	X	13	26.0	29.0	30.6	29.2	15.3	36.78	36.9	30.9	27.3	1-1903128-4
26	X	12	24.0	27.0	28.6	27.2	14.3	34.78	34.9	28.9	25.3	1-1903128-3
22	X	10	20.0	23.0	24.6	23.2	21.3	30.78	30.9	24.9	21.3	1-1903128-1
POS	KEY	n	A	B	C	D	E	F	G	H	J	PART NO



THIS DRAWING IS A CONTROL DOCUMENT.		DWN M. MAEBASHI CHK T. KUDO APVD MITSUGI	17APR2006 17APR2006 17APR2006		 TE Connectivity	
DIMENSIONS: 单位: 耗 mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差 ±0.3, ±3° 4-PLC ± 1-PLC ± 2-PLC ± 3-PLC ± 4-PLC ± ANGLES ± FINISH 仕上		NAME 名称 DYNAMIC DI100D 2.0mm PITCH TAB HSG, PANEL MOUNT TYPE 22-40 POS		
		PRODUCT SPEC 製品規格 108-78268, 78298 APPLICATION SPEC 取付適用規格 114-5377		SIZE A2		
MATERIAL 材料		WEIGHT		CAGE CODE 00779		
		CUSTOMER DRAWING		DRAWING NO 番号 C-1903128		
				RESTRICTED TO		
				REV D		
				SCALE 尺度 4:1		
				SHEET 1 OF 3		



34POS(X-KEY):1-1903128-7



32POS(X-KEY):1-1903128-6

