



Terminals & Splices > Automotive Terminals > DEUTSCH Solid Contacts



Terminal Type: Pin
Mating Pin Diameter: 5.7 mm [.225 in]
Terminal Transmits: 41 – 100 A (High Power)
Wire Size: 13 – 16 mm²

[All DEUTSCH Solid Contacts \(46\)](#)

Features

Product Type Features

Receptacle Style	180°
Sealable	No

Contact Features

Contact Size	Size 4
Contact Fabrication	Solid
Wire Contact Termination Area Plating Material	Nickel
Typical Current Rating	100 A
Crimp Type	Indent
Terminal Type	Pin
Mating Pin Diameter	5.7 mm[.225 in]
Interface Plating	Nickel (Ni)

Termination Features

Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire

Dimensions

Wire Size	13 – 16 mm²
Wire Size Search	6 AWG
Tab Length	26.16 mm[1.03 in]



Usage Conditions

Insulation Option	Uninsulated
Operating Temperature (Max)	125 °C[257 °F]
Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Packaging Features

Packaging Quantity	400
Packaging Method	Bag

Other

Customer Preferred Contact	Yes
Terminal Transmits	41 – 100 A (High Power)

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) SVHC > Threshold: Pb (1.2% in Component Part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits



as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 TE Part # CAT-H3930-CH8172 DEUTSCH HD30 Housings	 TE Part # CAT-H396-CH8172 DEUTSCH HDP20 Housings	 TE Part # CAT-D781-CH8172 DEUTSCH DRB Housings	 TE Part # CAT-D48-ST273 DEUTSCH Solid Contacts
 TE Part # CAT-D48-PCH8172 DEUTSCH DTHD Housings	 TE Part # 0410-241-0406 INSERT SEAL, CRIMP SLEEVE REDUCER	 TE Part # HDP-400 POWER CRIMPER	 TE Part # HDT-04-08 CRIMP TOOL, HDT-04-08
 TE Part # 0421-203-04141 REDUCING SLV	TE Part # 0434-205-0400 1/2 DIE SET	TE Part # 400-414DA-4SPEC SZ 4 DIE ASM	TE Part # 400-4301-4S SZ 4 LOCATOR
TE Part # 450GA-4-SPEC GAUGE SZ 4 GO-NO-GO FOR HDP-400			

Also in the Series | DEUTSCH Common Contact



Automotive Terminals(91)



Insertion & Extraction Tools(8)

Customers Also Bought



TE Part #HDP24-18-6PN
REC, 6P, BLK, N, 4/16, P



TE Part #0460-204-12141
PIN, SOLID, SIZE 12, 12-14AWG, NI



TE Part #9-2348782-1
HD MATEnet 2+6 TAB HSG ASSY, GRP E



TE Part #4-968972-1
MCP2,8 GEH ASSY 12P



TE Part #CB88166002
RBK-VWS-125-NR1-X-100MM



TE Part #114009-ZZ
EXT TOOL, SIZE 4, 6 AWG, N, WHT



TE Part #1456987-1
2x4 Fem unsealed LP assy Key A



TE Part #2359941-6
96POS,MCON-1.2 CB,REC HSG,ASSY



TE Part #8-1564284-5
96POS,MCON-1.2 CB,REC HSG,ASSY



TE Part #HD44-24-31PE-059
KT RC HD30 24 SHL 31 WY E SEAL CLMP

Documents

Product Drawings

PIN, SOLID, SIZE 4, 6AWG, NI

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_0460-204-0490_K.2d_dxf.zip



English

Customer View Model

[ENG_CVM_CVM_0460-204-0490_K.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_0460-204-0490_K.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[CONNECTOR SELECTOR](#)

English

Product Specifications

[Engineering Report](#)

English