### High Current Relay HCR 150

TE Internal #: 1393315-9

High Current Relay, DC, Monostable, 1 Form X (DM), 130 A Contact Rating, 24 VDC Coil Voltage, 4.1 W Coil Power, High Current Relay

HCR 150

View on TE.com >



Relays & Contactors > Electromechanical Relays



Relay & Contactor Type: High Current Relay

Coil Magnetic System: Monostable

Contact Arrangement: 1 Form X (DM)

Contact Current Class: >50 A

Current Type: DC

### **Features**

### Product Type Features

Relay & Contactor Type	High Current Relay
Configuration Features	
Contact Arrangement	1 Form X (DM)
Coil Special Features	Resistor in Parallel
Electrical Characteristics	
Contact Limiting Continuous Current	180 A
Contact Switching Load (Min)	1000mA @ 5VDC
Insulation Initial Dielectric Between Open Contacts	1000 Vrms
Contact Limiting Making Current	300 A
Contact Current Rating	130 A
Coil Voltage Rating	24 VDC
Coil Resistance	141 Ω
Contact Limiting Breaking Current	300 A
Coil Power Rating DC	4.1 W
Insulation Initial Dielectric Between Contacts & Coil	1000 Vrms
Body Features	

220 g[7.76 oz]

**Dust Protected** 

Product Weight

Enclosure Type



### **Contact Features**

Contact Material	Silver Alloy
Mechanical Attachment	
Product Mounting Feature Type	Mounting Brackets
Dimensions	
Product Width	45 mm[1.772 in]
Product Length	63 mm[2.48 in]
Product Height	40 mm[1.772 in]
Usage Conditions	
Environmental Category of Protection	RTI
Environmental Ambient Temperature (Max)	125 °C[257 °F]
Operation/Application	
Coil Magnetic System	Monostable
Current Type	DC
Other	
Environmental Ambient Temperature Class	105 – 125 °C
Contact Current Class	>50 A
Height Class (Mechanical)	40 – 50 mm
Length Class (Mechanical)	>60 mm
Width Class (Mechanical)	30 – 40 mm

### **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free




#### Solder Process Capability

Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## Compatible Parts



# Also in the Series | High Current Relay HCR 150




# **Customers Also Bought**










10/08/2024 04:00AM | Page 3













### **Documents**

Product Drawings
V23132B2002A200=HCR

English

#### **CAD Files**

**Customer View Model** 

ENG\_CVM\_CVM\_1393315-9\_B.2d\_dxf.zip

English

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_1393315-9\_B.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1393315-9\_B.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

### Datasheets & Catalog Pages

Automotive Relay Application Notes

English

### **Product Specifications**

**Definitions General Purpose Relays** 

English