




[illegible]

[illegible]

[illegible]

10		9		8		7		6		5		4		3		2		1		
PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION												
								A	B	F	M	P	G							
87914-0807	-----	-----	-----	-----	8	-----	6	10.16	7.62	21.75	16.51	2.95	----	D22						
87914-0818	-----	-----	-----	-----	8	-----	6	10.16	7.62	21.75	16.51	2.95	----							
87914-0108	-----	-----	-----	-----	8	-----	6	10.16	7.62	16.50	11.11	3.10	----							
87914-0811	-----	-----	-----	-----	8	-----	1	10.16	7.62	10.92	5.84	2.79	----							
87914-0821	-----	-----	-----	-----	8	-----	1	10.16	7.62	12.25	7.00	2.96	----							
87914-0831	-----	-----	-----	-----	8	-----	1	10.16	7.62	13.38	6.09	5.00	----							
87914-0812	-----	-----	-----	-----	8	-----	2	10.16	7.62	10.92	5.84	2.79	----							
87914-0822	-----	-----	-----	-----	8	-----	2	10.16	7.62	12.25	7.00	2.96	----							
87914-0832	-----	-----	-----	-----	8	-----	2	10.16	7.62	13.38	6.09	5.00	----							
87914-0813	-----	-----	-----	-----	8	-----	3	10.16	7.62	10.92	5.84	2.79	----							
87914-0823	-----	-----	-----	-----	8	-----	3	10.16	7.62	12.25	7.00	2.96	----							
87914-0833	-----	-----	-----	-----	8	-----	4	10.16	7.62	13.38	6.09	5.00	----							
87914-0814	-----	-----	-----	-----	8	-----	4	10.16	7.62	10.92	5.84	2.79	----							
87914-0824	-----	-----	-----	-----	8	-----	4	10.16	7.62	12.25	7.00	2.96	----							
87914-0834	-----	-----	-----	-----	8	-----	4	10.16	7.62	13.38	6.09	5.00	----							
87914-0815	-----	-----	-----	-----	8	-----	5	10.16	7.62	10.92	5.84	2.79	----							
87914-0825	-----	-----	-----	-----	8	-----	5	10.16	7.62	12.25	7.00	2.96	----							
87914-0835	-----	-----	-----	-----	8	-----	5	10.16	7.62	13.38	6.09	5.00	----							
87914-0816	-----	-----	-----	-----	8	-----	6	10.16	7.62	10.92	5.84	2.79	----	D22						
87914-0819	-----	-----	-----	-----	8	-----	6	10.16	7.62	10.92	5.84	2.79	----							
87914-0826	-----	-----	-----	-----	8	-----	6	10.16	7.62	12.25	7.00	2.96	----							
87914-0828	-----	-----	-----	-----	8	-----	6	10.16	7.62	12.25	7.00	2.96	----	D22						
87914-0836	-----	-----	-----	-----	8	-----	6	10.16	7.62	13.38	6.09	5.00	----							
87914-0801	-----	-----	-----	-----	8	-----	4	10.16	7.62	13.21	8.13	2.79	----							
87914-0802	-----	-----	-----	-----	8	-----	5	10.16	7.62	13.21	8.13	2.79	---							
87914-0803	-----	-----	-----	-----	8	-----	6	10.16	7.62	13.21	8.13	2.79	---							
87914-0809	-----	-----	-----	-----	8	-----	6	10.16	7.62	13.21	8.13	2.79	---	D22						
87914-0804	-----	-----	-----	-----	8	-----	4	10.16	7.62	11.11	6.10	2.72	---							
87914-0805	-----	-----	-----	-----	8	-----	5	10.16	7.62	11.11	6.10	2.72	---							
87914-0806	-----	-----	-----	-----	8	-----	6	10.16	7.62	11.11	6.10	2.72	---							
87914-0810	-----	-----	-----	-----	8	-----	6	10.16	7.62	11.11	6.10	2.72	---	D22						

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS

mm

SCALE

NTS

GENERAL TOLERANCES (UNLESS SPECIFIED)

	MM	INCH
4 PLACES	±	±
3 PLACES	±	±
2 PLACES	± 0.2	±
1 PLACE	±	±
0 PLACES	±	±
ANGULAR TOL	± 3.0 °	

DRAFT WHERE APPLICABLE

MUST REMAIN WITHIN DIMENSIONS

CURRENT REV DESC: BRIGHT TIN PHASE OUT

EC NO: 679909

DRWN: AKUMAR19

CHK'D: MRAMAKRISHNA

APPR: MRAMAKRISHNA

2021/06/29

2021/10/11

2021/10/11

INITIAL REVISION:

DRWN: YLQIAO

APPR: SCLW

2005/01/17

2005/01/25

THIRD ANGLE PROJECTION

DRAWING

A3-SIZE

SERIES

87914

DOCUMENT NUMBER

SD-87914-013

DOC TYPE

PSD

DOC PART

000

REVISION

D22

MATERIAL NUMBER

SEE TABLE

CUSTOMER

GENERAL MARKET

SHEET NUMBER

6 OF 45

[illegible]

[illegible]

10		9		8		7		6		5		4		3		2		1		
F	PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION					D22						
						A	B	F	M	P										
	87914-1251	-----	-----	-----	-----	12	-----	1	15.24	12.70	18.40	13.08	3.03							
	87914-1252	-----	-----	-----	-----	12	-----	2	15.24	12.70	18.40	13.08	3.03							
	87914-1253	-----	-----	-----	-----	12	-----	3	15.24	12.70	18.40	13.08	3.03							
	87914-1254	-----	-----	-----	-----	12	-----	4	15.24	12.70	18.40	13.08	3.03							
E	87914-1255	-----	-----	-----	-----	12	-----	5	15.24	12.70	18.40	13.08	3.03							
	87914-1256	-----	-----	-----	-----	12	-----	6	15.24	12.70	18.40	13.08	3.03							
	87914-1241	-----	-----	-----	-----	12	-----	1	15.24	12.70	12.50	6.95	3.26							
	87914-1242	-----	-----	-----	-----	12	-----	2	15.24	12.70	12.50	6.95	3.26							
	87914-1243	-----	-----	-----	-----	12	-----	3	15.24	12.70	12.50	6.95	3.26							
	87914-1244	-----	-----	-----	-----	12	-----	4	15.24	12.70	12.50	6.95	3.26							
D	87914-1245	-----	-----	-----	-----	12	-----	5	15.24	12.70	12.50	6.95	3.26							
	87914-1201	-----	-----	-----	-----	12	-----	4	15.24	12.70	13.21	8.13	2.79							
	87914-1202	-----	-----	-----	-----	12	-----	5	15.24	12.70	13.21	8.13	2.79							
	87914-1203	-----	-----	-----	-----	12	-----	6	15.24	12.70	13.21	8.13	2.79							
	87914-1204	-----	-----	-----	-----	12	-----	4	15.24	12.70	11.11	6.10	2.72							
	87914-1205	-----	-----	-----	-----	12	-----	5	15.24	12.70	11.11	6.10	2.72							
C	87914-1206	-----	-----	-----	-----	12	-----	6	15.24	12.70	11.11	6.10	2.72							
	87914-1207	-----	-----	-----	-----	12	-----	6	15.24	12.70	11.11	6.10	2.72							
B																				
A																				
DOCUMENT STATUS		P1	RELEASE DATE	2021/10/11	11:53:31															
FORMAT: Met-lega-master-ib-prod-A3		9		8		7		6		5		4		3		2		1		
REVISION: E																				
DATE: 2020/01/14																				

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT				molex							
mm		NTS													
GENERAL TOLERANCES (UNLESS SPECIFIED)															
	MM	INCH													
4 PLACES	±		±	EC NO: 679909 DRWN: AKUMAR19 2021/06/29 CHK'D: MRAMAKRISHNA 2021/10/11 APPR: MRAMAKRISHNA 2021/10/11				2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H							
3 PLACES	±		±												
2 PLACES	±	0.2	±												
1 PLACE	±		±												
0 PLACES	±		±	INITIAL REVISION:				DOCUMENT NUMBER							
ANGULAR TOL ± 3.0 °				DRWN: YLQIAO 2005/01/17 APPR: SCLOW 2005/01/25				SD-87914-013							
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
						A3-SIZE		87914		SEE TABLE		GENERAL MARKET		10 OF 45	

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS

mm

SCALE

NTS

GENERAL TOLERANCES (UNLESS SPECIFIED)

	MM	INCH
4 PLACES	±	±
3 PLACES	±	±
2 PLACES	± 0.2	±
1 PLACE	±	±
0 PLACES	±	±
ANGULAR TOL	± 3.0 °	

DRAFT WHERE APPLICABLE

MUST REMAIN WITHIN DIMENSIONS

CURRENT REV DESC: BRIGHT TIN PHASE OUT

EC NO: 679909

DRWN: AKUMAR19

CHK'D: MRAMAKRISHNA

APPR: MRAMAKRISHNA

2021/06/29

2021/10/11

2021/10/11

INITIAL REVISION:

DRWN: YLQIAO

APPR: SCLOW

2005/01/17

2005/01/25

DOCUMENT NUMBER

SD-87914-013

DOC TYPE

PSD

DOC PART

000

REVISION

D22

PRODUCT CUSTOMER DRAWING

MATERIAL NUMBER

SEE TABLE

CUSTOMER

GENERAL MARKET

SHEET NUMBER

10 OF 45

THIRD ANGLE PROJECTION

DRAWING

A3-SIZE

SERIES

87914

molex

2.54MM PITCH

DUAL ROW HEADER SINGLE WAFER, T/H

2021/06/29

2021/10/11

2021/10/11

10		9		8		7		6		5		4		3		2		1				
PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION														
								A	B	F	M	P										
87914-1411	-----	-----	-----	-----	14	-----	1	17.78	15.24	10.92	5.84	2.79										
87914-1421	-----	-----	-----	-----	14	-----	1	17.78	15.24	12.25	7.00	2.96										
87914-1431	-----	-----	-----	-----	14	-----	1	17.78	15.24	13.38	6.09	5.00										
87914-1412	-----	-----	-----	-----	14	-----	2	17.78	15.24	10.92	5.84	2.79										
87914-1422	-----	-----	-----	-----	14	-----	2	17.78	15.24	12.25	7.00	2.96										
87914-1432	-----	-----	-----	-----	14	-----	2	17.78	15.24	13.38	6.09	5.00										
87914-1413	-----	-----	-----	-----	14	-----	3	17.78	15.24	10.92	5.84	2.79										
87914-1423	-----	-----	-----	-----	14	-----	3	17.78	15.24	12.25	7.00	2.96										
87914-1433	-----	-----	-----	-----	14	-----	3	17.78	15.24	13.38	6.09	5.00										
87914-1414	-----	-----	-----	-----	14	-----	4	17.78	15.24	10.92	5.84	2.79										
87914-1424	-----	-----	-----	-----	14	-----	4	17.78	15.24	12.25	7.00	2.96										
87914-1434	-----	-----	-----	-----	14	-----	4	17.78	15.24	13.38	6.09	5.00										
87914-1415	-----	-----	-----	-----	14	-----	5	17.78	15.24	10.92	5.84	2.79										
87914-1425	-----	-----	-----	-----	14	-----	5	17.78	15.24	12.25	7.00	2.96										
87914-1435	-----	-----	-----	-----	14	-----	5	17.78	15.24	13.38	6.09	5.00										
87914-1416	-----	-----	-----	-----	14	-----	6	17.78	15.24	10.92	5.84	2.79										
87914-1417	-----	-----	-----	-----	14	-----	6	17.78	15.24	10.92	5.84	2.79										
87914-1426	-----	-----	-----	-----	14	-----	6	17.78	15.24	12.25	7.00	2.96										
87914-1427	-----	-----	-----	-----	14	-----	6	17.78	15.24	12.25	7.00	2.96										
87914-1436	-----	-----	-----	-----	14	-----	6	17.78	15.24	13.38	6.09	5.00										
87914-1401	-----	-----	-----	-----	14	-----	4	17.78	15.24	13.21	8.13	2.79										
87914-1402	-----	-----	-----	-----	14	-----	5	17.78	15.24	13.21	8.13	2.79										
87914-1403	-----	-----	-----	-----	14	-----	6	17.78	15.24	13.21	8.13	2.79										
87914-1404	-----	-----	-----	-----	14	-----	4	17.78	15.24	11.11	6.10	2.72										
87914-1405	-----	-----	-----	-----	14	-----	5	17.78	15.24	11.11	6.10	2.72										
87914-1406	-----	-----	-----	-----	14	-----	6	17.78	15.24	11.11	6.10	2.72										
87914-1407	-----	-----	-----	-----	14	-----	6	17.78	15.24	11.11	6.10	2.72										
87914-0007	-----	-----	-----	-----	14	-----	5	17.78	15.24	13.42	8.08	3.05										
</																						

10		9		8		7		6		5		4		3		2		1	
PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	KINK POSITION	PLATING TYPE	DIMENSION										
									A	B	F	M	P	G					
87914-1441	-----	-----	-----	-----	14	-----	-----	1	17.78	15.24	13.42	8.08	3.05	---					
87914-1442	-----	-----	-----	-----	14	-----	-----	2	17.78	15.24	13.42	8.08	3.05	---					
87914-1443	-----	-----	-----	-----	14	-----	-----	3	17.78	15.24	13.42	8.08	3.05	---					
87914-1444	-----	-----	-----	-----	14	-----	-----	4	17.78	15.24	13.42	8.08	3.05	---					
87914-1445	-----	-----	-----	-----	14	-----	-----	5	17.78	15.24	13.42	8.08	3.05	---					
-----	87914-1446	-----	-----	-----	14	-----	CKT 1, 2, 13 & 14	6	17.78	15.24	14.58	9.11	3.18	---					
-----	-----	-----	-----	87914-1447	14	-----	-----	6	17.78	15.24	13.79	8.20	3.30	14.79					

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS

mm

SCALE

NTS

GENERAL TOLERANCES (UNLESS SPECIFIED)

MM

INCH

4 PLACES

±

±

3 PLACES

±

±

2 PLACES

±

0.2

±

1 PLACE

±

±

0 PLACES

±

±

ANGULAR TOL

±

3.0 °

DRAFT WHERE APPLICABLE

MUST REMAIN

WITHIN DIMENSIONS

CURRENT REV DESC: BRIGHT TIN PHASE OUT

EC NO: 679909

DRWN: AKUMAR19

CHK'D: MRAMAKRISHNA

APPR: MRAMAKRISHNA

INITIAL REVISION:

DRWN: YLQIAO

APPR: SCLOW

2021/06/29

2021/10/11

2021/10/11

2005/01/17

2005/01/25

2.54MM PITCH

DUAL ROW HEADER SINGLE WAFER, T/H

PRODUCT CUSTOMER DRAWING

DOCUMENT NUMBER

SD-87914-013

DOC TYPE

PSD

DOC PART

000

REVISION

D22

MATERIAL NUMBER

SEE TABLE

CUSTOMER

GENERAL MARKET

SHEET NUMBER

12 OF 45

THIRD ANGLE PROJECTION

DRAWING

A3-SIZE

SERIES

87914

10		9		8		7		6		5		4		3		2		1	
PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION					A	B	F	M	P		
87914-1611	-----	-----	-----	-----	16	-----	1	20.32	17.78	10.92	5.84	2.79							
87914-1621	-----	-----	-----	-----	16	-----	1	20.32	17.78	12.25	7.00	2.96							
87914-1631	-----	-----	-----	-----	16	-----	1	20.32	17.78	13.38	6.09	5.00							
87914-1612	-----	-----	-----	-----	16	-----	2	20.32	17.78	10.92	5.84	2.79							
87914-1622	-----	-----	-----	-----	16	-----	2	20.32	17.78	12.25	7.00	2.96							
87914-1632	-----	-----	-----	-----	16	-----	2	20.32	17.78	13.38	6.09	5.00							
87914-1613	-----	-----	-----	-----	16	-----	3	20.32	17.78	10.92	5.84	2.79							
87914-1623	-----	-----	-----	-----	16	-----	3	20.32	17.78	12.25	7.00	2.96							
87914-1633	-----	-----	-----	-----	16	-----	3	20.32	17.78	13.38	6.09	5.00							
87914-1614	-----	-----	-----	-----	16	-----	4	20.32	17.78	10.92	5.84	2.79							
87914-1624	-----	-----	-----	-----	16	-----	4	20.32	17.78	12.25	7.00	2.96							
87914-1634	-----	-----	-----	-----	16	-----	4	20.32	17.78	13.38	6.09	5.00							
87914-1615	-----	-----	-----	-----	16	-----	5	20.32	17.78	10.92	5.84	2.79							
87914-1625	-----	-----	-----	-----	16	-----	5	20.32	17.78	12.25	7.00	2.96							
87914-1635	-----	-----	-----	-----	16	-----	5	20.32	17.78	13.38	6.09	5.00							
87914-1616	-----	-----	-----	-----	16	-----	6	20.32	17.78	10.92	5.84	2.79							
87914-1617	-----	-----	-----	-----	16	-----	6	20.32	17.78	10.92	5.84	2.79							
87914-1626	-----	-----	-----	-----	16	-----	6	20.32	17.78	12.25	7.00	2.96							
87914-1627	-----	-----	-----	-----	16	-----	6	20.32	17.78	12.25	7.00	2.96							
87914-1636	-----	-----	-----	-----	16	-----	6	20.32	17.78	13.38	6.09	5.00							
87914-1601	-----	-----	-----	-----	16	-----	4	20.32	17.78	13.21	8.13	2.79							
87914-1602	-----	-----	-----	-----	16	-----	5	20.32	17.78	13.21	8.13	2.79							
87914-1603	-----	-----	-----	-----	16	-----	6	20.32	17.78	13.21	8.13	2.79							
87914-1604	-----	-----	-----	-----	16	-----	4	20.32	17.78	11.11	6.10	2.72							
87914-1605	-----	-----	-----	-----	16	-----	5	20.32	17.78	11.11	6.10	2.72							
87914-1606	-----	-----	-----	-----	16	-----	6	20.32	17.78	11.11	6.10	2.72							
87914-1608	-----	-----	-----	-----	16	-----	6	20.32	17.78	11.11	6.10	2.72							
87914-1650	-----	-----	-----	-----	16	-----	5	20.32	17.78	12.49	7.40	2.80							
87914-1600	-----	-----	-----	-----	16	-----	5	20.32	17.78	9.49	4.50	2.70							
87914-1607	-----	-----	-----	-----	16	-----	5	20.32	17.78	9.49	4.50	2.70							
87914-1637	-----	-----	-----	-----	16	-----	5	20.32	17.78	15.79	10.45	3.05							
87914-1652	-----	-----	-----	-----	16	-----	5	20.32	17.78	25.90	19.81	3.80							
</																			

[illegible]

10		9		8		7		6		5		4		3		2		1		
PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION												
								A	B	F	M	P								
87914-2211	-----	-----	-----	-----	22	-----	1	27.94	25.40	10.92	5.84	2.79								
87914-2221	-----	-----	-----	-----	22	-----	1	27.94	25.40	12.25	7.00	2.96								
87914-2231	-----	-----	-----	-----	22	-----	1	27.94	25.40	13.38	6.09	5.00								
87914-2212	-----	-----	-----	-----	22	-----	2	27.94	25.40	10.92	5.84	2.79								
87914-2222	-----	-----	-----	-----	22	-----	2	27.94	25.40	12.25	7.00	2.96								
87914-2232	-----	-----	-----	-----	22	-----	2	27.94	25.40	13.38	6.09	5.00								
87914-2213	-----	-----	-----	-----	22	-----	3	27.94	25.40	10.92	5.84	2.79								
87914-2223	-----	-----	-----	-----	22	-----	3	27.94	25.40	12.25	7.00	2.96								
87914-2233	-----	-----	-----	-----	22	-----	3	27.94	25.40	13.38	6.09	5.00								
87914-2214	-----	-----	-----	-----	22	-----	4	27.94	25.40	10.92	5.84	2.79								
87914-2224	-----	-----	-----	-----	22	-----	4	27.94	25.40	12.25	7.00	2.96								
87914-2234	-----	-----	-----	-----	22	-----	4	27.94	25.40	13.38	6.09	5.00								
87914-2215	-----	-----	-----	-----	22	-----	5	27.94	25.40	10.92	5.84	2.79								
87914-2225	-----	-----	-----	-----	22	-----	5	27.94	25.40	12.25	7.00	2.96								
87914-2235	-----	-----	-----	-----	22	-----	5	27.94	25.40	13.38	6.09	5.00								
87914-2216	-----	-----	-----	-----	22	-----	6	27.94	25.40	10.92	5.84	2.79								
87914-2217	-----	-----	-----	-----	22	-----	6	27.94	25.40	10.92	5.84	2.79								
87914-2226	-----	-----	-----	-----	22	-----	6	27.94	25.40	12.25	7.00	2.96								
87914-2227	-----	-----	-----	-----	22	-----	6	27.94	25.40	12.25	7.00	2.96								
87914-2236	-----	-----	-----	-----	22	-----	6	27.94	25.40	13.38	6.09	5.00								
87914-2201	-----	-----	-----	-----	22	-----	4	27.94	25.40	13.21	8.13	2.79								
87914-2202	-----	-----	-----	-----	22	-----	5	27.94	25.40	13.21	8.13	2.79								
87914-2203	-----	-----	-----	-----	22	-----	6	27.94	25.40	13.21	8.13	2.79								
87914-2204	-----	-----	-----	-----	22	-----	4	27.94	25.40	11.11	6.10	2.72								
87914-2205	-----	-----	-----	-----	22	-----	5	27.94	25.40	11.11	6.10	2.72								
87914-2206	-----	-----	-----	-----	22	-----	6	27.94	25.40	11.11	6.10	2.72								
87914-2207	-----	-----	-----	-----	22	-----	6	27.94	25.40	11.11	6.10	2.72								
															D22					
															D22					
															D22					
															D22					
															D22					
															D22					
															D22					
															D22					
															D22					
															D22					
															D22					
															D22					
															D22					
															D22					
															D22					
															D22					
															D22					
															D22					
															D22					
															D22					
															D22					
															D22					
															D22					
															D22					
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS

mm

SCALE

NTS

GENERAL TOLERANCES (UNLESS SPECIFIED)

	MM	INCH
4 PLACES	±	±
3 PLACES	±	±
2 PLACES	± 0.2	±
1 PLACE	±	±
0 PLACES	±	±
ANGULAR TOL	± 3.0 °	

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

THIRD ANGLE PROJECTION

DRAWING

A3-SIZE

SERIES

87914

CURRENT REV DESC: BRIGHT TIN PHASE OUT

EC NO: 679909

DRWN: AKUMAR19

CHK'D: MRAMAKRISHNA

APPR: MRAMAKRISHNA

2021/06/29

2021/10/11

2021/10/11

INITIAL REVISION:

DRWN: YLQIAO

APPR: SCLOW

2005/01/17

2005/01/25

DOCUMENT NUMBER

SD-87914-013

DOC TYPE

PSD

DOC PART

000

REVISION

D22

PRODUCT CUSTOMER DRAWING

MATERIAL NUMBER

SEE TABLE

CUSTOMER

GENERAL MARKET

SHEET NUMBER

16 OF 45

10		9		8		7		6		5		4		3		2		1	
PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION											
								A	B	F	M	P							
87914-2411	-----	-----	-----	-----	24	-----	1	30.48	27.94	10.92	5.84	2.79							
87914-2421	-----	-----	-----	-----	24	-----	1	30.48	27.94	12.25	7.00	2.96							
87914-2431	-----	-----	-----	-----	24	-----	1	30.48	27.94	13.38	6.09	5.00							
87914-2412	-----	-----	-----	-----	24	-----	2	30.48	27.94	10.92	5.84	2.79							
87914-2422	-----	-----	-----	-----	24	-----	2	30.48	27.94	12.25	7.00	2.96							
87914-2432	-----	-----	-----	-----	24	-----	2	30.48	27.94	13.38	6.09	5.00							
87914-2413	-----	-----	-----	-----	24	-----	3	30.48	27.94	10.92	5.84	2.79							
87914-2423	-----	-----	-----	-----	24	-----	3	30.48	27.94	12.25	7.00	2.96							
87914-2433	-----	-----	-----	-----	24	-----	3	30.48	27.94	13.38	6.09	5.00							
87914-2414	-----	-----	-----	-----	24	-----	4	30.48	27.94	10.92	5.84	2.79							
87914-2424	-----	-----	-----	-----	24	-----	4	30.48	27.94	12.25	7.00	2.96							
87914-2434	-----	-----	-----	-----	24	-----	4	30.48	27.94	13.38	6.09	5.00							
87914-2415	-----	-----	-----	-----	24	-----	5	30.48	27.94	10.92	5.84	2.79							
87914-2425	-----	-----	-----	-----	24	-----	5	30.48	27.94	12.25	7.00	2.96							
87914-2435	-----	-----	-----	-----	24	-----	5	30.48	27.94	13.38	6.09	5.00							
87914-2416	-----	-----	-----	-----	24	-----	6	30.48	27.94	10.92	5.84	2.79							
87914-2417	-----	-----	-----	-----	24	-----	6	30.48	27.94	10.92	5.84	2.79							
87914-2426	-----	-----	-----	-----	24	-----	6	30.48	27.94	12.25	7.00	2.96							
87914-2427	-----	-----	-----	-----	24	-----	6	30.48	27.94	12.25	7.00	2.96							
87914-2436	-----	-----	-----	-----	24	-----	6	30.48	27.94	13.38	6.09	5.00							
87914-2401	-----	-----	-----	-----	24	-----	4	30.48	27.94	13.21	8.13	2.79							
87914-2402	-----	-----	-----	-----	24	-----	5	30.48	27.94	13.21	8.13	2.79							
87914-2403	-----	-----	-----	-----	24	-----	6	30.48	27.94	13.21	8.13	2.79							
87914-2404	-----	-----	-----	-----	24	-----	4	30.48	27.94	11.11	6.10	2.72							
87914-2405	-----	-----	-----	-----	24	-----	5	30.48	27.94	11.11	6.10	2.72							
87914-2406	-----	-----	-----	-----	24	-----	6	30.48	27.94	11.11	6.10	2.72							
87914-2407	-----	-----	-----	-----	24	-----	6	30.48	27.94	11.11	6.10	2.72							
DOCUMENT STATUS		P1	RELEASE DATE	2021/10/11	11:53:31														
9		8		7		6		5											

10		9		8		7		6		5		4		3		2		1	
PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION					A	B	F	M	P		
87914-2611	-----	-----	-----	-----	26	-----	1	33.02	30.48	10.92	5.84	2.79							
87914-2621	-----	-----	-----	-----	26	-----	1	33.02	30.48	12.25	7.00	2.96							
87914-2631	-----	-----	-----	-----	26	-----	1	33.02	30.48	13.38	6.09	5.00							
87914-2612	-----	-----	-----	-----	26	-----	2	33.02	30.48	10.92	5.84	2.79							
87914-2622	-----	-----	-----	-----	26	-----	2	33.02	30.48	12.25	7.00	2.96							
87914-2632	-----	-----	-----	-----	26	-----	2	33.02	30.48	13.38	6.09	5.00							
87914-2613	-----	-----	-----	-----	26	-----	3	33.02	30.48	10.92	5.84	2.79							
87914-2623	-----	-----	-----	-----	26	-----	3	33.02	30.48	12.25	7.00	2.96							
87914-2633	-----	-----	-----	-----	26	-----	3	33.02	30.48	13.38	6.09	5.00							
87914-2614	-----	-----	-----	-----	26	-----	4	33.02	30.48	10.92	5.84	2.79							
87914-2624	-----	-----	-----	-----	26	-----	4	33.02	30.48	12.25	7.00	2.96							
87914-2634	-----	-----	-----	-----	26	-----	4	33.02	30.48	13.38	6.09	5.00							
87914-2615	-----	-----	-----	-----	26	-----	5	33.02	30.48	10.92	5.84	2.79							
87914-2625	-----	-----	-----	-----	26	-----	5	33.02	30.48	12.25	7.00	2.96							
87914-2635	-----	-----	-----	-----	26	-----	5	33.02	30.48	13.38	6.09	5.00							
87914-2616	-----	-----	-----	-----	26	-----	6	33.02	30.48	10.92	5.84	2.79							
87914-2617	-----	-----	-----	-----	26	-----	6	33.02	30.48	10.92	5.84	2.79							
87914-2626	-----	-----	-----	-----	26	-----	6	33.02	30.48	12.25	7.00	2.96							
87914-2627	-----	-----	-----	-----	26	-----	6	33.02	30.48	12.25	7.00	2.96							
87914-2636	-----	-----	-----	-----	26	-----	6	33.02	30.48	13.38	6.09	5.00							
87914-2601	-----	-----	-----	-----	26	-----	4	33.02	30.48	13.21	8.13	2.79							
87914-2602	-----	-----	-----	-----	26	-----	5	33.02	30.48	13.21	8.13	2.79							
87914-2603	-----	-----	-----	-----	26	-----	6	33.02	30.48	13.21	8.13	2.79							
87914-2604	-----	-----	-----	-----	26	-----	4	33.02	30.48	11.11	6.10	2.72							
87914-2605	-----	-----	-----	-----	26	-----	5	33.02	30.48	11.11	6.10	2.72							
87914-2606	-----	-----	-----	-----	26	-----	6	33.02	30.48	11.11	6.10	2.72							
87914-2607	-----	-----	-----	-----	26	-----	6	33.02	30.48	11.11	6.10	2.72							

[illegible]

[illegible]

10		9		8		7		6		5		4		3		2		1	
PART NO FOR TRAY PACKAGING	PART NO FOR BULK PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION										
									A	B	F	M	P						
-----	87914-0032	-----	-----	-----	-----	32	-----	5	40.64	38.10	7.62	3.05	2.28		D22				
87914-3211	-----	-----	-----	-----	-----	32	-----	1	40.64	38.10	10.92	5.84	2.79						
87914-3221	-----	-----	-----	-----	-----	32	-----	1	40.64	38.10	12.25	7.00	2.96						
87914-3231	-----	-----	-----	-----	-----	32	-----	1	40.64	38.10	13.38	6.09	5.00						
87914-3212	-----	-----	-----	-----	-----	32	-----	2	40.64	38.10	10.92	5.84	2.79		D22				
87914-3222	-----	-----	-----	-----	-----	32	-----	2	40.64	38.10	12.25	7.00	2.96						
87914-3232	-----	-----	-----	-----	-----	32	-----	2	40.64	38.10	13.38	6.09	5.00						
87914-3213	-----	-----	-----	-----	-----	32	-----	3	40.64	38.10	10.92	5.84	2.79						
87914-3223	-----	-----	-----	-----	-----	32	-----	3	40.64	38.10	12.25	7.00	2.96		D22				
87914-3233	-----	-----	-----	-----	-----	32	-----	3	40.64	38.10	13.38	6.09	5.00						
87914-3214	-----	-----	-----	-----	-----	32	-----	4	40.64	38.10	10.92	5.84	2.79						
87914-3224	-----	-----	-----	-----	-----	32	-----	4	40.64	38.10	12.25	7.00	2.96						
87914-3234	-----	-----	-----	-----	-----	32	-----	4	40.64	38.10	13.38	6.09	5.00		D22				
87914-3215	-----	-----	-----	-----	-----	32	-----	5	40.64	38.10	10.92	5.84	2.79						
87914-3225	-----	-----	-----	-----	-----	32	-----	5	40.64	38.10	12.25	7.00	2.96						
87914-3235	-----	-----	-----	-----	-----	32	-----	5	40.64	38.10	13.38	6.09	5.00						
87914-3216	-----	-----	-----	-----	-----	32	-----	6	40.64	38.10	10.92	5.84	2.79		D22				
87914-3217	-----	-----	-----	-----	-----	32	-----	6	40.64	38.10	10.92	5.84	2.79						
87914-3226	-----	-----	-----	-----	-----	32	-----	6	40.64	38.10	12.25	7.00	2.96						
87914-3227	-----	-----	-----	-----	-----	32	-----	6	40.64	38.10	12.25	7.00	2.96						
87914-3236	-----	-----	-----	-----	-----	32	-----	6	40.64	38.10	13.38	6.09	5.00		D22				
87914-3201	-----	-----	-----	-----	-----	32	-----	4	40.64	38.10	13.21	8.13	2.79						
87914-3202	-----	-----	-----	-----	-----	32	-----	5	40.64	38.10	13.21	8.13	2.79						
87914-3203	-----	-----	-----	-----	-----	32	-----	6	40.64	38.10	13.21	8.13	2.79						
87914-3207	-----	-----	-----	-----	-----	32	-----	6	40.64	38.10	13.21	8.13	2.79		D22				
87914-3204	-----	-----	-----	-----	-----	32	-----	4	40.64	38.10	11.11	6.10	2.72						
87914-3205	-----	-----	-----	-----	-----	32	-----	5	40.64	38.10	11.11	6.10	2.72						
87914-3206	-----	-----	-----	-----	-----	32	-----	6	40.64	38.10	11.11	6.10	2.72						
87914-3208	-----	-----	-----	-----	-----	32	-----	6	40.64	38.10	11.11	6.10	2.72		D22				

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS

mm

SCALE

NTS

GENERAL TOLERANCES (UNLESS SPECIFIED)

	MM	INCH
4 PLACES	±	±
3 PLACES	±	±
2 PLACES	± 0.2	±
1 PLACE	±	±
0 PLACES	±	±
ANGULAR TOL	± 3.0 °	

DRAFT WHERE APPLICABLE

MUST REMAIN

WITHIN DIMENSIONS

CURRENT REV DESC: BRIGHT TIN PHASE OUT

EC NO: 679909

DRWN: AKUMAR19

CHK'D: MRAMAKRISHNA

APPR: MRAMAKRISHNA

2021/06/29

2021/10/11

2021/10/11

INITIAL REVISION:

DRWN: YLQIAO

APPR: SCLOW

2005/01/17

2005/01/25

THIRD ANGLE PROJECTION

DRAWING

A3-SIZE

SERIES

87914

DOCUMENT NUMBER

SD-87914-013

DOC TYPE

PSD

DOC PART

000

REVISION

D22

MATERIAL NUMBER

SEE TABLE

CUSTOMER

GENERAL MARKET

SHEET NUMBER

21 OF 45

10		9		8		7		6		5		4		3		2		1	
PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION											
								A	B	F	M	P							
87914-4211	-----	-----	-----	-----	42	-----	1	53.34	50.80	10.92	5.84	2.79							
87914-4221	-----	-----	-----	-----	42	-----	1	53.34	50.80	12.25	7.00	2.96							
87914-4212	-----	-----	-----	-----	42	-----	2	53.34	50.80	10.92	5.84	2.79							
87914-4222	-----	-----	-----	-----	42	-----	2	53.34	50.80	12.25	7.00	2.96							
87914-4213	-----	-----	-----	-----	42	-----	3	53.34	50.80	10.92	5.84	2.79							
87914-4223	-----	-----	-----	-----	42	-----	3	53.34	50.80	12.25	7.00	2.96							
87914-4214	-----	-----	-----	-----	42	-----	4	53.34	50.80	10.92	5.84	2.79							
87914-4224	-----	-----	-----	-----	42	-----	4	53.34	50.80	12.25	7.00	2.96							
87914-4215	-----	-----	-----	-----	42	-----	5	53.34	50.80	10.92	5.84	2.79							
87914-4225	-----	-----	-----	-----	42	-----	5	53.34	50.80	12.25	7.00	2.96							
87914-4216	-----	-----	-----	-----	42	-----	6	53.34	50.80	10.92	5.84	2.79							
87914-4217	-----	-----	-----	-----	42	-----	6	53.34	50.80	10.92	5.84	2.79	D22						
87914-4226	-----	-----	-----	-----	42	-----	6	53.34	50.80	12.25	7.00	2.96							
87914-4227	-----	-----	-----	-----	42	-----	6	53.34	50.80	12.25	7.00	2.96	D22						
87914-4201	-----	-----	-----	-----	42	-----	4	53.34	50.80	13.21	8.13	2.79							
87914-4202	-----	-----	-----	-----	42	-----	5	53.34	50.80	13.21	8.13	2.79							
87914-4203	-----	-----	-----	-----	42	-----	6	53.34	50.80	13.21	8.13	2.79							
87914-4204	-----	-----	-----	-----	42	-----	4	53.34	50.80	11.11	6.10	2.72							
87914-4205	-----	-----	-----	-----	42	-----	5	53.34	50.80	11.11	6.10	2.72							
87914-4206	-----	-----	-----	-----	42	-----	6	53.34	50.80	11.11	6.10	2.72							
87914-4207	-----	-----	-----	-----	42	-----	6	53.34	50.80	11.11	6.10	2.72	D22						

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS

mm

SCALE

NTS

GENERAL TOLERANCES (UNLESS SPECIFIED)

	MM	INCH
4 PLACES	±	±
3 PLACES	±	±
2 PLACES	± 0.2	±
1 PLACE	±	±
0 PLACES	±	±
ANGULAR TOL	± 3.0 °	

DRAFT WHERE APPLICABLE

MUST REMAIN WITHIN DIMENSIONS

CURRENT REV DESC: BRIGHT TIN PHASE OUT

EC NO: 679909

DRWN: AKUMAR19

CHK'D: MRAMAKRISHNA

APPR: MRAMAKRISHNA

2021/06/29

2021/10/11

2021/10/11

INITIAL REVISION:

DRWN: YLQIAO

APPR: SCLOW

2005/01/17

2005/01/25

THIRD ANGLE PROJECTION

DRAWING

A3-SIZE

SERIES

87914

DOCUMENT NUMBER

SD-87914-013

DOC TYPE

PSD

DOC PART

000

REVISION

D22

2.54MM PITCH

DUAL ROW HEADER SINGLE WAFER, T/H

PRODUCT CUSTOMER DRAWING

MATERIAL NUMBER

SEE TABLE

CUSTOMER

GENERAL MARKET

SHEET NUMBER

26 OF 45

[illegible]

[illegible]

10		9		8		7		6		5		4		3		2		1		
PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION												
								A	B	F	M	P								
87914-4811	-----	-----	-----	-----	48	-----	1	60.96	58.42	10.92	5.84	2.79								
87914-4821	-----	-----	-----	-----	48	-----	1	60.96	58.42	12.25	7.00	2.96								
87914-4812	-----	-----	-----	-----	48	-----	2	60.96	58.42	10.92	5.84	2.79								
87914-4822	-----	-----	-----	-----	48	-----	2	60.96	58.42	12.25	7.00	2.96								
87914-4813	-----	-----	-----	-----	48	-----	3	60.96	58.42	10.92	5.84	2.79								
87914-4823	-----	-----	-----	-----	48	-----	3	60.96	58.42	12.25	7.00	2.96								
87914-4814	-----	-----	-----	-----	48	-----	4	60.96	58.42	10.92	5.84	2.79								
87914-4824	-----	-----	-----	-----	48	-----	4	60.96	58.42	12.25	7.00	2.96								
87914-4815	-----	-----	-----	-----	48	-----	5	60.96	58.42	10.92	5.84	2.79								
87914-4825	-----	-----	-----	-----	48	-----	5	60.96	58.42	12.25	7.00	2.96								
87914-4816	-----	-----	-----	-----	48	-----	6	60.96	58.42	10.92	5.84	2.79								
87914-4817	-----	-----	-----	-----	48	-----	6	60.96	58.42	10.92	5.84	2.79								
87914-4826	-----	-----	-----	-----	48	-----	6	60.96	58.42	12.25	7.00	2.96								
87914-4827	-----	-----	-----	-----	48	-----	6	60.96	58.42	12.25	7.00	2.96								
87914-4801	-----	-----	-----	-----	48	-----	4	60.96	58.42	13.21	8.13	2.79								
87914-4802	-----	-----	-----	-----	48	-----	5	60.96	58.42	13.21	8.13	2.79								
87914-4803	-----	-----	-----	-----	48	-----	6	60.96	58.42	13.21	8.13	2.79								
87914-4804	-----	-----	-----	-----	48	-----	4	60.96	58.42	11.11	6.10	2.72								
87914-4805	-----	-----	-----	-----	48	-----	5	60.96	58.42	11.11	6.10	2.72								
87914-4806	-----	-----	-----	-----	48	-----	6	60.96	58.42	11.11	6.10	2.72								
87914-4807	-----	-----	-----	-----	48	-----	6	60.96	58.42	11.11	6.10	2.72								
															D22					
															D22					
															D22					
															D22					
															D22					
															D22					
															D22					
															D22					
															D22					
															D22					
															D22					
															D22					
															D22					
															D22					
															D22					
															D22					
															D22					
															D22					
															D22					
															D22					
															D22					
															D22					
															D22					
															D22					
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							
													D22							

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS

mm

SCALE

NTS

GENERAL TOLERANCES (UNLESS SPECIFIED)

	MM	INCH
4 PLACES	±	±
3 PLACES	±	±
2 PLACES	± 0.2	±
1 PLACE	±	±
0 PLACES	±	±
ANGULAR TOL	± 3.0 °	

DRAFT WHERE APPLICABLE

MUST REMAIN WITHIN DIMENSIONS

CURRENT REV DESC: BRIGHT TIN PHASE OUT

EC NO: 679909

DRWN: AKUMAR19

CHK'D: MRAMAKRISHNA

APPR: MRAMAKRISHNA

2021/06/29

2021/10/11

2021/10/11

INITIAL REVISION:

DRWN: YLQIAO

APPR: SCLOW

2005/01/17

2005/01/25

THIRD ANGLE PROJECTION

DRAWING

A3-SIZE

SERIES

87914

MATERIAL NUMBER

SEE TABLE

CUSTOMER

GENERAL MARKET

SHEET NUMBER

29 OF 45

DOCUMENT NUMBER

SD-87914-013

DOC TYPE

PSD

DOC PART

000

REVISION

D22

molex

2.54MM PITCH

DUAL ROW HEADER SINGLE WAFER, T/H

PRODUCT CUSTOMER DRAWING

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

10		9		8		7		6		5		4		3		2		1	
PART NO FOR BULK PACKAGING	PART NO FOR BULK PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION					D22					
									A	B	F	M	P						
87914-7611	-----	-----	-----	-----	-----	76	-----	1	96.52	93.98	10.92	5.84	2.79						
87914-7621	-----	-----	-----	-----	-----	76	-----	1	96.52	93.98	12.25	7.00	2.96						
87914-7612	-----	-----	-----	-----	-----	76	-----	2	96.52	93.98	10.92	5.84	2.79						
87914-7622	-----	-----	-----	-----	-----	76	-----	2	96.52	93.98	12.25	7.00	2.96						
87914-7613	-----	-----	-----	-----	-----	76	-----	3	96.52	93.98	10.92	5.84	2.79						
87914-7623	-----	-----	-----	-----	-----	76	-----	3	96.52	93.98	12.25	7.00	2.96						
87914-7614	-----	-----	-----	-----	-----	76	-----	4	96.52	93.98	10.92	5.84	2.79						
87914-7624	-----	-----	-----	-----	-----	76	-----	4	96.52	93.98	12.25	7.00	2.96						
87914-7615	-----	-----	-----	-----	-----	76	-----	5	96.52	93.98	10.92	5.84	2.79						
87914-7625	-----	-----	-----	-----	-----	76	-----	5	96.52	93.98	12.25	7.00	2.96						
87914-7616	-----	-----	-----	-----	-----	76	-----	6	96.52	93.98	10.92	5.84	2.79						
87914-7626	-----	-----	-----	-----	-----	76	-----	6	96.52	93.98	12.25	7.00	2.96						
87914-7627	-----	-----	-----	-----	-----	76	-----	6	96.52	93.98	12.25	7.00	2.96						
-----	87914-7601	-----	-----	-----	-----	76	-----	4	96.52	93.98	13.21	8.13	2.79						
-----	87914-7602	-----	-----	-----	-----	76	-----	5	96.52	93.98	13.21	8.13	2.79						
-----	87914-7603	-----	-----	-----	-----	76	-----	6	96.52	93.98	13.21	8.13	2.79						
-----	87914-7604	-----	-----	-----	-----	76	-----	4	96.52	93.98	11.11	6.10	2.72						
-----	87914-7605	-----	-----	-----	-----	76	-----	5	96.52	93.98	11.11	6.10	2.72						
-----	87914-7606	-----	-----	-----	-----	76	-----	6	96.52	93.98	11.11	6.10	2.72						
-----	87914-7607	-----	-----	-----	-----	76	-----	6	96.52	93.98	11.11	6.10	2.72						
															D22				
														</					

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS

mm

SCALE

NTS

GENERAL TOLERANCES (UNLESS SPECIFIED)

	MM	INCH
4 PLACES	±	±
3 PLACES	±	±
2 PLACES	± 0.2	±
1 PLACE	±	±
0 PLACES	±	±
ANGULAR TOL	± 3.0 °	

DRAFT WHERE APPLICABLE

MUST REMAIN

WITHIN DIMENSIONS

CURRENT REV DESC: BRIGHT TIN PHASE OUT

EC NO: 679909

DRWN: AKUMAR19

CHK'D: MRAMAKRISHNA

APPR: MRAMAKRISHNA

2021/06/29

2021/10/11

2021/10/11

INITIAL REVISION:

DRWN: YLQIAO

APPR: SCLOW

2005/01/17

2005/01/25

THIRD ANGLE PROJECTION

DRAWING

A3-SIZE

SERIES

87914

DOCUMENT NUMBER

MATERIAL NUMBER

CUSTOMER

SHEET NUMBER

2021/06/29

2021/10/11

2021/10/11

2005/01/17

2005/01/25

SD-87914-013

SEE TABLE

GENERAL MARKET

43 OF 45

PSD

000

D22

2.54MM PITCH

DUAL ROW HEADER SINGLE WAFER, T/H

PRODUCT CUSTOMER DRAWING

SD-87914-013

SEE TABLE

GENERAL MARKET

43 OF 45

2.54MM PITCH

DUAL ROW HEADER SINGLE WAFER, T/H

PRODUCT CUSTOMER DRAWING

SD-87914-013

SEE TABLE

GENERAL MARKET

43 OF 45

