

**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**

**Part Number:** [1053001100](#)  
**Status:** **Active**  
**Overview:** [Nano-Fit Power Connectors](#)  
**Description:** Nano-Fit Crimp Terminal, Female, 2.540µm Matte Tin (Sn) Plating, 24-26 AWG

**Documents:**

<a href="#">Drawing (PDF)</a>	<a href="#">Test Summary 1053001000-TS-000 (PDF)</a>
<a href="#">Product Specification PS-105300-100-001 (PDF)</a>	<a href="#">RoHS Certificate of Compliance (PDF)</a>
<a href="#">Packaging Specification PK-105300-100-000 (PDF)</a>	<a href="#">Product Literature (PDF)</a>

**General**

Product Family	Crimp Terminals
Series	<a href="#">105300</a>
Application	Power, Wire-to-Board
Crimp Quality Equipment	Yes
Overview	<a href="#">Nano-Fit Power Connectors</a>
Product Literature Order No	987651-1223
Product Name	Nano-Fit
UPC	889056003247

**Physical**

Durability (mating cycles max)	25
Gender	Female
Material - Metal	High Conductivity Copper
Material - Plating Mating	Matte Tin
Material - Plating Termination	Matte Tin
Net Weight	0.100/g
Packaging Type	Reel
Plating min - Mating	2.540µm
Plating min - Termination	2.540µm
Termination Interface: Style	Crimp or Compression
Wire Insulation Diameter	1.30mm
Wire Size AWG	24, 26
Wire Size mm <sup>2</sup>	0.13-0.20

**Electrical**

Current - Maximum per Contact	6.5A
Voltage - Maximum	250V AC (RMS)

**Material Info**

**Reference - Drawing Numbers**

Packaging Specification	PK-105300-100-000
Product Specification	PS-105300-100-001
Sales Drawing	2004570710-000
Test Summary	1053001000-TS-000



*Series image - Reference only*

**EU ELV**

**Not Relevant**

**EU RoHS**

**Compliant**

**REACH SVHC**

Not Contained Per -  
ED/71/2019 (16 July  
2019)

**Halogen-Free**

**Status**

**Not Low-Halogen**

For more information, please visit [Contact US](#)

China ROHS

ELV

RoHS Phthalates

**China RoHS**

Green Image

Not Relevant

Not Contained

**Search Parts in this Series**

[105300 Series](#)

**Use With**

Nano-Fit Receptacle Housing [105307](#) ,  
[105308](#)

**Application Tooling | FAQ**

*Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.*

**Global**

**Description**

**Product #**

Extraction Tool for [638244600](#)

Nano-Fit Power Connectors and Crimp Terminals, 20-26 AWG

Hand Crimp Tool for [638276000](#)

Nano-Fit Receptacle Terminals, 24 AWG and 26 AWG,

UL1061 and UL1007  
Insulations  
FineAdjust Applicator [639032500](#)  
for Insulation OD  
0.90-1.15mm -  
UL1061  
FineAdjust Applicator [639034800](#)  
for Insulation OD  
1.20-1.45mm -  
UL1007

**Japan**

<b>Description</b>	<b>Product #</b>
S-1 Applicator for Nano-Fit Terminals, 24-26 AWG, UL1061 Wires	<a href="#">2047483710</a>
S-1 Applicator for Nano-Fit Terminals, 24-26 AWG, UL1007 Wires	<a href="#">2047483720</a>

This document was generated on 09/21/2019

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**